

MSD

audio



MSD

audio

JIASHAN MONSTER AUDIO ELECTRONICS CO., LTD.

ADD: HUICHENG ROAD, HUIMIN INDUSTRIAL ZONE, JIASHAN, ZHEJIANG, CHINA

Tel: 86-573-84648808 Fax: 86-573-84648807

E-mail: msd@vip.163.com flhs@vip.sina.com

Skype: monsteraudio

Url: www.monsteraudio.cn

SUBWOOFER / CAR SUBWOOFER BOX /
COAXIAL SPEAKER / BASS-MIDRANGE SPEAKER

WWW.MONSTERAUDIO.CN

SUBWOOFERS

High Performance car audio products



High Power Car Subwoofer
Powered Black Cast Aluminium Basket
Non-pressed Paper Cone
Super Big Foam Surround
4" 4-Layer CCAW (Flat Wire) Voice Coil
500oz Strontium Magnet

Specifications	MWQ1001	MWQ1201
Size	10"	12"
Power (RMS)	5000W	6000W
Power (MAX)	10000W	12000W
Frequency Response	22Hz~800Hz	20Hz~800Hz
Sensitivity	90dB	90dB
Impedance	1 Ohm x 2	1 Ohm x 2



High Power Car Subwoofer
Powered Black Cast Aluminium Basket
Non-pressed Paper Cone
Super Big Foam Surround
3" 4-Layer CCAW Voice Coil
400oz Strontium Magnet

Specifications	MWQ1002	MWQ1202
Size	10"	12"
Power (RMS)	2500W	3000W
Power (MAX)	5000W	6000W
Frequency Response	25Hz~900Hz	22Hz~900Hz
Sensitivity	90dB	90dB
Impedance	2 Ohms x 2	2 Ohms x 2



Car Subwoofer
Black Cast Aluminium Basket
Paper Cone
Rubber Surround
2" 4-Layer CCAW Voice Coil
65oz Strontium Magnet

Specifications	MWQ1003	MWQ1203
Size	10"	12"
Power (RMS)	250W	300W
Power (MAX)	500W	600W
Frequency Response	30Hz~1KHz	28Hz~1KHz
Sensitivity	88dB	88dB
Impedance	4 Ohms x 2	4 Ohms x 2

SUBWOOFERS

High Performance car audio products

Shallow Car Subwoofer
Black Cast Aluminium Basket
Non-pressed Paper Cone
Foam Surround
2" 4-Layer Voice Coil
60oz Strontium Magnet

Specifications	MWQ1004	MWQ1204
Size	10"	12"
Power (RMS)	200W	250W
Power (MAX)	400W	500W
Frequency Response	35Hz~1KHz	32Hz~1KHz
Sensitivity	88dB	88dB
Impedance	4 Ohms	4 Ohms



Shallow Car Subwoofer
Black Steel Basket
Paper Cone
Foam Surround
2" 4-Layer Voice Coil
60oz Strontium Magnet

Specifications	MWQ1005	MWQ1205
Size	10"	12"
Power (RMS)	200W	250W
Power (MAX)	400W	500W
Frequency Response	35Hz~1KHz	32Hz~1KHz
Sensitivity	88dB	88dB
Impedance	4 Ohms	4 Ohms



Shallow Car Subwoofer
Black Steel Basket
Paper Cone
Foam Surround
2" 4-Layer Voice Coil
40oz Strontium Magnet

Specifications	MWQ1006	MWQ1206
Size	10"	12"
Power (RMS)	180W	230W
Power (MAX)	360W	460W
Frequency Response	38Hz~1KHz	36Hz~1KHz
Sensitivity	88dB	88dB
Impedance	4 Ohms	4 Ohms



Shallow Mount

SUBWOOFERS

High Performance car audio products



Car Subwoofer
Black Steel Basket
Non-pressed Paper Cone
Rubber Surround
3" 4-Layer CCAW Voice Coil
130oz Strontium Magnet

Specifications	MWQ1007	MWQ1207
Size	10"	12"
Power (RMS)	800W	900W
Power (MAX)	1600W	1800W
Frequency Response	28Hz~1KHz	25Hz~1KHz
Sensitivity	90dB	90dB
Impedance	2 Ohms x 2	2 Ohms x 2



Car Subwoofer
Black Steel Basket
Non-pressed Paper Cone
Foam Surround
3" 4-Layer CCAW Voice Coil
120oz Strontium Magnet

Specifications	MWQ1008	MWQ1208
Size	10"	12"
Power (RMS)	700W	800W
Power (MAX)	1400W	1600W
Frequency Response	28Hz~1KHz	25Hz~1KHz
Sensitivity	88dB	88dB
Impedance	2 Ohms x 2	2 Ohms x 2

Car Subwoofer
Black Steel Basket
Non-pressed Paper Cone
Foam Surround
2.5" 4-Layer CCAW Voice Coil
100oz Strontium Magnet

Specifications	MWQ1009	MWQ1209
Size	10"	12"
Power (RMS)	500W	600W
Power (MAX)	1000W	1200W
Frequency Response	28Hz~1KHz	25Hz~1KHz
Sensitivity	88dB	88dB
Impedance	2 Ohms x 2	2 Ohms x 2



SUBWOOFERS

High Performance car audio products



Car Subwoofer
Black Steel Basket
PP Cone
Rubber Surround
2" 4-Layer Voice Coil
80oz Strontium Magnet

Specifications	MWQ1011	MWQ1211
Size	10"	12"
Power (RMS)	300W	350W
Power (MAX)	600W	700W
Frequency Response	32Hz~1KHz	30Hz~1KHz
Sensitivity	88dB	88dB
Impedance	4 Ohms x 2	4 Ohms x 2

Car Subwoofer
Black Steel Basket
Non-pressed Paper Cone
Canvas & Foam Composite Surround
2.5" 4-Layer CCAW Voice Coil
90oz Strontium Magnet

Specifications	MWQ1010	MWQ1210
Size	10"	12"
Power (RMS)	400W	500W
Power (MAX)	800W	1000W
Frequency Response	30Hz~1KHz	28Hz~1KHz
Sensitivity	88dB	88dB
Impedance	4 Ohms x 2	4 Ohms x 2



Car Subwoofer
Black Steel Basket
Paper Cone
Rubber Surround
2" 4-Layer Voice Coil
40oz Strontium Magnet

Specifications	MWQ1012	MWQ1212
Size	10"	12"
Power (RMS)	250W	300W
Power (MAX)	500W	600W
Frequency Response	35Hz~1KHz	32Hz~1KHz
Sensitivity	88dB	88dB
Impedance	4 Ohms x 2	4 Ohms x 2



CAR SUBWOOFER BOX

High Performance car audio products

Shallow Mounted Sealed Bass Enclosure
MDF Construction With Carpet Covered
PP Cone With Rubber Surround
2" Voice Coil
40oz Magnet

Specifications	ME10S	ME12S
Woofer Size	10"	12"
Power (RMS)	200W	250W
Power (MAX)	400W	500W
Frequency Response	38Hz~1KHz	35Hz~1KHz
Sensitivity	90dB	90dB
Impedance	4 Ohms	4 Ohms



Shallow Mounted Sealed Bass Enclosure
MDF Construction With Carpet Covered
PP Cone With Rubber Surround

Specifications	ME08DS	ME10DS	ME12DS
Woofer Size	8"	10"	12"
Power (RMS)	100W	200W	250W
Power (MAX)	200W	400W	500W
Frequency Response	45Hz~1KHz	38Hz~1KHz	35Hz~1KHz
Sensitivity	90dB	90dB	90dB
Impedance	4 Ohms	4 Ohms	4 Ohms
Voice Coil	1.5"	2"	2"
Magnet	30oz	40oz	40oz

It can be installed freely in the cabin or luggage area for optimal utilization of space. Compact space-saving dimensions make it easy to install the enclosure in a variety of trucks-standard-cab, extended-cab, or crew-cab.



Ported Bass Enclosure
MDF Construction With Carpet Covered
PP Cone With Rubber Surround
2" Voice Coil
40oz Magnet

Specifications	ME10P	ME12P
Woofer Size	10"	12"
Power (RMS)	200W	250W
Power (MAX)	400W	500W
Frequency Response	38Hz~1KHz	35Hz~1KHz
Sensitivity	90dB	90dB
Impedance	4 Ohms	4 Ohms

CAR SUBWOOFER BOX

High Performance car audio products

Sealed Bass Enclosure
MDF Construction With Carpet Covered
PP Cone With Rubber Surround
2" Voice Coil
40oz Magnet

Specifications	MEDUAL10	MEDUAL12
Woofer Size	10" x 2	12" x 2
Power (RMS)	400W	500W
Power (MAX)	800W	1000W
Frequency Response	38Hz~1KHz	35Hz~1KHz
Sensitivity	90dB	90dB
Impedance	4 Ohms	4 Ohms



Sealed Bass Tube
MDF Construction With Carpet Covered
PP Cone With Rubber Surround
2" Voice Coil
40oz Magnet

Specifications	ME10T	ME12T
Woofer Size	10"	12"
Power (RMS)	200W	250W
Power (MAX)	400W	500W
Frequency Response	38Hz~1KHz	35Hz~1KHz
Sensitivity	90dB	90dB
Impedance	4 Ohms	4 Ohms

Amplified Vented Enclosure For Spare Tire Well
MDF Construction With Carpet Covered
PP Cone With Rubber Surround
Remote Bass Level Control Included

Specifications	METW65A	METW8A	METW10A
Woofer Size	6.5"	8"	10"
Voice Coil	1.5"	1.5"	2"
Magnet	30oz	30oz	40oz
Power (RMS)	80W	100W	150W
Power (MAX)	160W	200W	300W
Frequency Response	40Hz~250KHz	40Hz~250KHz	40Hz~250KHz



COAXIAL SPEAKER

High Performance car audio products



MCG402



MCG502



MCG682



MCG692

COAXIAL SPEAKER

High Performance car audio products



MCG652

Specifications	MCG402	MCG502	MCG652	MCG682	MCG692
Size	4" 2-Way	5.25" 2-Way	6.5" 2-Way	6x8" 2-Way	6x9" 2-Way
Power (RMS)	60Watts	90Watts	100Watts	100Watts	150Watts
Power (MAX)	120Watts	180Watts	200Watts	200Watts	300Watts
Frequency Response	110Hz~20KHz	85Hz~20KHz	75Hz~20KHz	75Hz~20KHz	50Hz~20KHz
Sensitivity	90dB	90dB	90dB	90dB	90dB
Impedance	4 Ohms	4 Ohms	4 Ohms	4 Ohms	4 Ohms
Tweeter	Titanium	Titanium	Titanium	Titanium	Titanium
Basket	Steel	Steel	Steel	Steel	Steel
Cone	PP	PP	PP	PP	PP
Surround	Rubber	Rubber	Rubber	Rubber	Rubber
Magnet	8oz	13oz	13oz	13oz	20oz
Voice Coil	1"	1"	1"	1"	1.2"



COAXIAL SPEAKER

High Performance car audio products

Model: MCH404
 4" 4-Way Coaxial Speaker
 Steel Basket
 PP Cone With Rubber Surround
 Voice Coil: 1"
 Magnet: 6oz
 Power: 40Watts RMS / 200 Watts Max
 Frequency Response: 110Hz ~20KHz
 Sensitivity: 90dB
 Impedance: 4 Ohms



Model: MCH504
 5.25" 4-Way Coaxial Speaker
 Steel Basket
 PP Cone With Rubber Surround
 Voice Coil: 1"
 Magnet: 10oz
 Power: 50Watts RMS / 250 Watts Max
 Frequency Response: 90Hz ~20KHz
 Sensitivity: 90dB
 Impedance: 4 Ohms



Model: MCH654
 6.5" 4-Way Coaxial Speaker
 Steel Basket
 PP Cone With Rubber Surround
 Voice Coil: 1"
 Magnet: 13oz
 Power: 80Watts RMS / 300 Watts Max
 Frequency Response: 80Hz ~20KHz
 Sensitivity: 90dB
 Impedance: 4 Ohms



COAXIAL SPEAKER

High Performance car audio products

Model: MCH464
 4x6" 4-Way Coaxial Speaker
 Steel Basket
 PP Cone With Rubber Surround
 Voice Coil: 1"
 Magnet: 6oz
 Power: 40Watts RMS / 200 Watts Max
 Frequency Response: 110Hz ~20KHz
 Sensitivity: 90dB
 Impedance: 4 Ohms



Model: MCH684
 6x8" 4-Way Coaxial Speaker
 Steel Basket
 PP Cone With Rubber Surround
 Voice Coil: 1"
 Magnet: 13oz
 Power: 80Watts RMS / 300 Watts Max
 Frequency Response: 80Hz ~20KHz
 Sensitivity: 90dB
 Impedance: 4 Ohms

Model: MCH694
 6x9" 4-Way Coaxial Speaker
 Steel Basket
 PP Cone With Rubber Surround
 Voice Coil: 1"
 Magnet: 20oz
 Power: 100Watts RMS / 400 Watts Max
 Frequency Response: 50Hz ~20KHz
 Sensitivity: 90dB
 Impedance: 4 Ohms



BASS MIDRANGE SPEAKER



Model: MBMPC65
 Professional Bass-Midrange Speaker
 Steel Basket
 Non-pressed Paper Cone With Cloth Surround
 Voice Coil: 1.5"
 Magnet: 33.5oz
 Power: 250Watts RMS / 500 Watts Max
 Frequency Response: 100Hz ~10KHz
 Sensitivity: 95dB
 Impedance: 4 Ohms / 8 Ohms

Model: MBMPC80
 Professional Bass-Midrange Speaker
 Steel Basket
 Non-pressed Paper Cone With Cloth Surround
 Voice Coil: 1.5"
 Magnet: 47.6oz
 Power: 300Watts RMS / 600 Watts Max
 Frequency Response: 80Hz ~10KHz
 Sensitivity: 95dB
 Impedance: 4 Ohms / 8 Ohms

BASS MIDRANGE SPEAKER



Model: MBMPE69
 Professional Bass-Midrange Speaker
 Steel Basket
 Paper Cone With Cloth Surround
 Voice Coil: 1.5"
 Magnet: 33.5oz

RMS Power: 300Watts
 Max Power: 600 Watts
 Frequency Response: 100Hz ~10KHz
 Sensitivity: 95dB
 Impedance: 4 Ohms / 8 Ohms



Model: MBMPD65
 Professional Bass-Midrange Speaker
 Aluminium Basket
 Non-pressed Paper Cone With Cloth Surround
 Voice Coil: 1.5"
 Magnet: 33.5oz
 Power: 300Watts RMS / 600 Watts Max
 Frequency Response: 100Hz ~10KHz
 Sensitivity: 95dB
 Impedance: 4 Ohms / 8 Ohms



Model: MBMPD80
 Professional Bass-Midrange Speaker
 Aluminium Basket
 Non-pressed Paper Cone With Cloth Surround
 Voice Coil: 2"
 Magnet: 47.6oz
 Power: 400Watts RMS / 800 Watts Max
 Frequency Response: 80Hz ~10KHz
 Sensitivity: 95dB
 Impedance: 4 Ohms / 8 Ohms



Model: MBMPF80
 Professional Bass-Midrange Speaker
 Aluminium Basket
 Non-pressed Paper Cone With Cloth Surround
 Voice Coil: 2.5"
 Magnet: 65oz

RMS Power: 500Watts
 Max Power: 1000 Watts
 Frequency Response: 100Hz ~10KHz
 Sensitivity: 97dB
 Impedance: 4 Ohms / 8 Ohms

BASS MIDRANGE SPEAKER

BASS MIDRANGE SPEAKER

MBMP64

MBMP65

MBMP669



MBMP665

MBMP668



Dual Cone Design Professional Bass-Midrange Speaker
Steel Basket, Paper Cone, Cloth Surround

Specifications	MBMP64	MBMP65	MBMP665	MBMP668	MBMP669
Size	4"	5.25"	6.5"	6"x8"	6"x9"
Power (RMS)	80Watts	100Watts	150Watts	150Watts	200Watts
Power (MAX)	160Watts	200Watts	300Watts	300Watts	400Watts
Frequency Response	150Hz~18KHz	130Hz~18KHz	120Hz~18KHz	120Hz~18KHz	100Hz~18KHz
Sensitivity	95dB	95dB	95dB	95dB	95dB
Impedance	4 Ohm / 8 Ohm	4 Ohm / 8 Ohm	4 Ohm / 8 Ohm	4 Ohm / 8 Ohm	4 Ohm / 8 Ohm
Magnet	8oz	10oz	15oz	15oz	33.5oz
Voice Coil	1"	1"	1.5"	1.5"	1.5"

Model: MBMP65
Shallow Design
Professional Bass-Midrange Speaker
Steel Basket
Paper Cone With Cloth Surround
Voice Coil: 1.5"
Magnet: 80x45x6 NdFeb
Power: 150Watts RMS / 300 Watts Max
Frequency Response: 120Hz ~ 18KHz
Sensitivity: 95dB
Impedance: 4 Ohms / 8 Ohms

Model: MBMP669
Shallow Design Professional
Professional Bass-Midrange Speaker
Steel Basket
Paper Cone With Cloth Surround
Voice Coil: 1.5"
Magnet: 102x60x7 NdFeb
Power: 200Watts RMS / 400 Watts Max
Frequency Response: 100Hz ~ 10KHz
Sensitivity: 95dB
Impedance: 4 Ohms / 8 Ohms

Model: MBMP665
Professional Bass-Midrange Speaker
Steel Basket
Paper Cone With Cloth Surround
Voice Coil: 1.5"
Magnet: 27.3oz
Power: 100Watts RMS / 200 Watts Max
Frequency Response: 120Hz ~ 10KHz
Sensitivity: 95dB
Impedance: 4 Ohms / 8 Ohms

Model: MBMP668
Professional Bass-Midrange Speaker
Steel Basket
Paper Cone With Cloth Surround
Voice Coil: 1.5"
Magnet: 33.5oz
Power: 150Watts RMS / 300 Watts Max
Frequency Response: 100Hz ~ 10KHz
Sensitivity: 95dB
Impedance: 4 Ohms / 8 Ohms