


MONSTER AUDIO

Precession Powerful



Catalogue

WWW.MONSTERAUDIO.CN

MONSTER AUDIO

Precession Powerful

WWW.MONSTERAUDIO.CN

CONTENTS



SUBWOOFER P 1-4



SLIM SUBWOOFER P 5




COAXIAL SPEAKER P 6-10



COMPONENT SPEAKER P 11



MARINE & IN CEILING SPEAKER P 12-13



ENCLOSURE P 14-17



SUBWOOFER

MONSTERAUDIO



- Stamped basket, PP cone with rubber edge
Rubber gasket & magnet cover, chromed T-yoke

MW1021

-10" subwoofer
-Voice Coil: 2"
-Magnet: 40oz
-Max Power: 500 watts
-Impedance: 4 ohm
-Frequency: 28Hz~2KHz
-Sensitivity: 89dB
-Xmax: 15mm

MW1221

-12" subwoofer
-Voice Coil: 2"
-Magnet: 40oz
-Max Power: 600 watts
-Impedance: 4 ohm
-Frequency: 26Hz~1.8KHz
-Sensitivity: 90dB
-Xmax: 15mm



- Stamped basket, paper cone with foam edge
Plastic gasket, rubber magnet cover, chromed T-yoke

MW1022

-10" subwoofer
-Voice Coil: 1.5"
-Magnet: 30oz
-Max Power: 300 watts
-Impedance: 4 ohm
-Frequency: 30Hz~2KHz
-Sensitivity: 89dB
-Xmax: 15mm

MW1222

-12" subwoofer
-Voice Coil: 1.5"
-Magnet: 30oz
-Max Power: 400 watts
-Impedance: 4 ohm
-Frequency: 28Hz~1.8KHz
-Sensitivity: 90dB
-Xmax: 15mm

- Stamped basket, PP cone with foam edge
Rubber gasket & magnet cover, chromed T-yoke

MW1023

-10" subwoofer
-Voice Coil: 2"
-Magnet: 40oz
-Max Power: 400 watts
-Impedance: 4 Ohm
-Frequency: 32Hz~2KHz
-Sensitivity: 90dB
-Xmax: 15mm

MW1223

-12" subwoofer
-Voice Coil: 2"
-Magnet: 40oz
-Max Power: 500 watts
-Impedance: 4 Ohm
-Frequency: 30Hz~2KHz
-Sensitivity: 90dB
-Xmax: 15mm





SUBWOOFER

MONSTERAUDIO

- Stamped basket, PP cone with rubber edge
Rubber gasket & magnet cover, black plated T-yoke

MW1024

- 10" subwoofer
- Voice Coil: 2"
- Magnet: 40oz
- Max Power: 450 watts
- Impedance: 4 Ohm x 2
- Frequency: 33Hz~2KHz
- Sensitivity: 89dB
- Xmax: 17mm

MW1224

- 12" subwoofer
- Voice Coil: 2"
- Magnet: 40oz
- Max Power: 600 watts
- Impedance: 4 Ohm x 2
- Frequency: 30Hz~2KHz
- Sensitivity: 90dB
- Xmax: 17mm



- Stamped basket, Non-pressed paper cone with foam edge
Rubber gasket, metal magnet cover, chromed T-yoke

MW1025

- 10" subwoofer
- Voice Coil: 2"
- Magnet: 80oz
- Max Power: 600 watts
- Impedance: 4 Ohm x 2
- Frequency: 30Hz~2KHz
- Sensitivity: 89dB
- Xmax: 20mm

MW1225

- 12" subwoofer
- Voice Coil: 2"
- Magnet: 80oz
- Max Power: 700 watts
- Impedance: 4 Ohm x 2
- Frequency: 28Hz~2KHz
- Sensitivity: 90dB
- Xmax: 20mm



- Die-casting basket, compound paper cone with foam edge
Rubber gasket, aluminum magnet heat sink, chromed T-yoke

MW1026

- 10" subwoofer
- Voice Coil: 2.5"
- Magnet: 120oz
- Max Power: 800 watts
- Impedance: 4 ohm x 2
- Frequency: 28Hz~2KHz
- Sensitivity: 89dB
- Xmax: 25mm

MW1226

- 12" subwoofer
- Voice Coil: 2.5"
- Magnet: 120oz
- Max Power: 1000 watts
- Impedance: 4 ohm x 2
- Frequency: 26Hz~1.8KHz
- Sensitivity: 90dB
- Xmax: 25mm



SUBWOOFER

MONSTERAUDIO



- Diamond cutting die-casting basket
- Fiberglass cone with foam edge
- Rubber gasket, aluminum magnet heat sink, chromed T-yoke


MW1027

- 10" subwoofer
- Voice Coil: 2"
- Magnet: 60oz
- Max Power: 600 watts
- Impedance: 4 ohm
- Frequency: 28Hz~2KHz
- Sensitivity: 89dB
- Xmax: 20mm

MW1227

- 12" subwoofer
- Voice Coil: 2"
- Magnet: 60oz
- Max Power: 800 watts
- Impedance: 4 ohm
- Frequency: 26Hz~1.8KHz
- Sensitivity: 90dB
- Xmax: 20mm

- Diamond cutting die-casting basket
- PP cone with foam edge
- Chromed metal gasket & T-yoke



MW1028

- 10" subwoofer
- Voice Coil: 2.5"
- Magnet: 120oz
- Max Power: 700 watts
- Impedance: 4 ohm x 2
- Frequency: 28Hz~2KHz
- Sensitivity: 89dB
- Xmax: 25mm

MW1228

- 12" subwoofer
- Voice Coil: 2.5"
- Magnet: 120oz
- Max Power: 800 watts
- Impedance: 4 ohm x 2
- Frequency: 26Hz~1.8KHz
- Sensitivity: 90dB
- Xmax: 25mm





SUBWOOFER

MONSTERAUDIO



- Die-casting basket, carbon fiber cone with rubber edge
Rubber gasket, plastic magnet cover

MW1029

- 10" subwoofer
- Voice Coil: 2"
- Magnet: 80oz
- Max Power: 600 watts
- Impedance: 4 ohm x 2
- Frequency: 28Hz~2KHz
- Sensitivity: 90dB
- Xmax: 25mm

MW1229

- 12" subwoofer
- Voice Coil: 2"
- Magnet: 80oz
- Max Power: 700 watts
- Impedance: 4 ohm x 2
- Frequency: 30Hz~1.8KHz
- Sensitivity: 90dB
- Xmax: 25mm



- Die-casting basket, PP cone with foam edge
Rubber gasket & magnet cover, chromed T-yoke

MW1030

- 10" subwoofer
- Voice Coil: 2.5"
- Magnet: 120oz
- Max Power: 700 watts
- Impedance: 4 ohm x 2
- Frequency: 28Hz~2KHz
- Sensitivity: 89dB
- Xmax: 25mm

MW1230

- 12" subwoofer
- Voice Coil: 2.5"
- Magnet: 120oz
- Max Power: 800 watts
- Impedance: 4 ohm x 2
- Frequency: 26Hz~1.8KHz
- Sensitivity: 90dB
- Xmax: 25mm

- Die-casting basket, fiberglass cone with foam edge
Rubber gasket, chromed T-yoke

MW1031

- 10" subwoofer
- Voice Coil: 2.5"
- Magnet: 120oz
- Max Power: 800 watts
- Impedance: 4 ohm x 2
- Frequency: 28Hz~2KHz
- Sensitivity: 89dB
- Xmax: 25mm

MW1231

- 12" subwoofer
- Voice Coil: 2.5"
- Magnet: 120oz
- Max Power: 1000 watts
- Impedance: 4 ohm x 2
- Frequency: 26Hz~2KHz
- Sensitivity: 90dB
- Xmax: 25mm



SLIM SUBWOOFER

MONSTERAUDIO



- Stamped basket, PP cone with foam edge
Rubber gasket & magnet cover, chromed T-yoke

M1001

- 10" slim subwoofer
- Voice Coil: 2"
- Magnet: 50oz
- Max Power: 600 watts
- Impedance: 4 ohm
- Frequency: 35Hz~2KHz
- Sensitivity: 92dB
- Xmax: 20mm

M1201

- 12" slim subwoofer
- Voice Coil: 2"
- Magnet: 50oz
- Max Power: 700 watts
- Impedance: 4 ohm
- Frequency: 32Hz~1.8KHz
- Sensitivity: 93dB
- Xmax: 20mm

- Stamped basket, PP cone with foam edge
Rubber gasket, aluminum dust cap, chromed T-yoke

M1002

- 10" slim subwoofer
- Voice Coil: 2"
- Magnet: 40oz
- Max Power: 450 watts
- Impedance: 4 ohm
- Frequency: 38Hz~2KHz
- Sensitivity: 90dB
- Xmax: 15mm

M1202

- 12" slim subwoofer
- Voice Coil: 2"
- Magnet: 40oz
- Max Power: 500 watts
- Impedance: 4 ohm
- Frequency: 35Hz~1.8KHz
- Sensitivity: 90dB
- Xmax: 15mm



- Stamped basket, PP cone with rubber edge
Rubber gasket, aluminum dust cap, black plated T-yoke

M1003

- 10" slim subwoofer
- Voice Coil: 2"
- Magnet: 50oz
- Max Power: 600 watts
- Impedance: 4 ohm
- Frequency: 36Hz~2KHz
- Sensitivity: 92dB
- Xmax: 20mm

M1203

- 12" slim subwoofer
- Voice Coil: 2"
- Magnet: 50oz
- Max Power: 700 watts
- Impedance: 4 ohm
- Frequency: 34Hz~1.8KHz
- Sensitivity: 93dB
- Xmax: 20mm





COAXIAL SPEAKER

MONSTERAUDIO

MC4025

- 4" 2-way
- Metal basket, PP cone with rubber edge, rubber magnet cover
- 1" voice coil, 6oz magnet
- 1.2" dome tweeter
- Max Power: 80 watts Impedance: 4 ohm
- Frequency: 80Hz~2KHz Sensitivity: 90dB



MC5025

- 5" 2-way
- Metal basket, PP cone with rubber edge, rubber magnet cover
- 1" voice coil, 8oz magnet
- 1.2" dome tweeter
- Max Power: 120 watts Impedance: 4 ohm
- Frequency: 70Hz~2KHz Sensitivity: 90dB



MC6525

- 6.5" 2-way
- Metal basket, PP cone with rubber edge, rubber magnet cover
- 1" voice coil, 10oz magnet
- 1.2" dome tweeter
- Max Power: 150 watts Impedance: 4 ohm
- Frequency: 60Hz~2KHz Sensitivity: 90dB



MC6935

- 6" x 9" 3-way
- Metal basket, PP cone with rubber edge, rubber magnet cover
- 1" voice coil, 20oz magnet
- 2.5" midrange, 1.2" dome tweeter
- Max Power: 250 watts Impedance: 4 ohm
- Frequency: 50Hz~2KHz Sensitivity: 90dB



COAXIAL SPEAKER

MONSTERAUDIO



MC4026

- 4" 2-way
- Metal basket, PP cone with rubber edge, rubber magnet cover
- 1" voice coil, 6oz magnet
- 1.2" dome tweeter
- Max Power: 80 watts Impedance: 4 ohm
- Frequency: 80Hz~2KHz Sensitivity: 90dB



MC5026

- 5" 2-way
- Metal basket, PP cone with rubber edge, rubber magnet cover
- 1" voice coil, 6oz magnet
- 1.2" dome tweeter
- Max Power: 100 watts Impedance: 4 ohm
- Frequency: 70Hz~2KHz Sensitivity: 90dB



MC6026

- 6" 2-way
- Metal basket, PP cone with rubber edge, rubber magnet cover
- 1" voice coil, 8oz magnet
- 1.2" dome tweeter
- Max Power: 150 watts Impedance: 4 ohm
- Frequency: 60Hz~2KHz Sensitivity: 90dB



MC6946

- 6" x 9" 4-way
- Metal basket, PP cone with rubber edge, rubber magnet cover
- 1" voice coil, 20oz magnet
- 2.5" midrange, 2pcs x 1.2" dome tweeter
- Max Power: 250 watts Impedance: 4 ohm
- Frequency: 50Hz~2KHz Sensitivity: 90dB





COAXIAL SPEAKER

MONSTERAUDIO

MC4027

- 4" 2-way
- Metal basket, fiberglass cone with rubber edge, rubber magnet cover
- 1" voice coil, 6oz magnet
- 1.2" dome tweeter
- Max Power: 80 watts Impedance: 4 ohm
- Frequency: 80Hz~2KHz Sensitivity: 90dB



MC5027

- 5" 2-way
- Metal basket, glassfibre cone with rubber edge, rubber magnet cover
- 1" voice coil, 6oz magnet
- 1.2" dome tweeter
- Max Power: 100 watts Impedance: 4 ohm
- Frequency: 70Hz~2KHz Sensitivity: 90dB



MC6537

- 6.5" 3-way
- Metal basket, glassfibre cone with rubber edge, rubber magnet cover
- 1" voice coil, 10oz magnet
- 1.2" dome tweeter, piezo tweeter
- Max Power: 150 watts Impedance: 4 ohm
- Frequency: 60Hz~2KHz Sensitivity: 90dB



MC6947

- 6" x 9" 4-way
- Metal basket, glassfibre cone with rubber edge, rubber magnet cover
- 1" voice coil, 15oz magnet
- 2.5" midrange, 1.2" dome tweeter, piezo tweeter
- Max Power: 250 watts Impedance: 4 ohm
- Frequency: 50Hz~2KHz Sensitivity: 90dB



COAXIAL SPEAKER

MONSTERAUDIO



MC4028

- 4" 2-way
- Metal basket, PP cone with rubber edge, rubber magnet cover
- 1" voice coil, 6oz magnet
- 1.2" swivel dome tweeter
- Max Power: 80 watts Impedance: 4 ohm
- Frequency: 80Hz~20KHz Sensitivity: 90dB



MC5028

- 5" 2-way
- Metal basket, PP cone with rubber edge, rubber magnet cover
- 1" voice coil, 6oz magnet
- 1.2" swivel dome tweeter
- Max Power: 100 watts Impedance: 4 ohm
- Frequency: 70Hz~20KHz Sensitivity: 90dB



MC6528

- 6.5" 2-way
- Metal basket, PP cone with rubber edge, rubber magnet cover
- 1" voice coil, 10oz magnet
- 1.2" swivel dome tweeter
- Max Power: 150 watts Impedance: 4 ohm
- Frequency: 60Hz~20KHz Sensitivity: 90dB



MC6938

- 6" x 9" 3-way
- Metal basket, PP cone with rubber edge, rubber magnet cover
- 1" voice coil, 20oz magnet
- 2.5" midrange, 1.2" dome tweeter
- Max Power: 250 watts Impedance: 4 ohm
- Frequency: 50Hz~20KHz Sensitivity: 90dB





COAXIAL SPEAKER

MONSTERAUDIO

MC4039

- 4" 3-way
- Metal basket, PP cone with rubber edge, rubber magnet cover
- 1" voice coil, 6oz magnet
- 1.2" dome tweeter, piezo tweeter
- Max Power: 80 watts Impedance: 4 ohm
- Frequency: 80Hz~2KHz Sensitivity: 90dB



MC5039

- 5" 3-way
- Metal basket, PP cone with rubber edge, rubber magnet cover
- 1" voice coil, 6oz magnet
- 1.2" dome tweeter, piezo tweeter
- Max Power: 100 watts Impedance: 4 ohm
- Frequency: 70Hz~2KHz Sensitivity: 90dB



MC6549

- 6.5" 4-way
- Metal basket, PP cone with rubber edge, rubber magnet cover
- 1" voice coil, 10oz magnet
- 1.2" dome tweeter, 2pcs piezo tweeter
- Max Power: 150 watts Impedance: 4 ohm
- Frequency: 60Hz~2KHz Sensitivity: 90dB



MC6949

- 6" x 9" 4-way
- Metal basket, PP cone with rubber edge, rubber magnet cover
- 1" voice coil, 15oz magnet
- 1.2" dome tweeter, 2pcs piezo tweeter
- Max Power: 250 watts Impedance: 4 ohm
- Frequency: 50Hz~2KHz Sensitivity: 90dB



COMPONENT SPEAKER

MONSTERAUDIO



- Woofer: metal basket, PP cone with rubber edge
rubber magnet cover
- Tweeter: 1.5" swivel dome tweeter
- Crossover: 2 way 12dB

MD509

- Max Power: 300 watts
- Impedance: 4 ohm
- Frequency: 60Hz~20KHz
- Sensitivity: 90dB

MD6509

- Max Power: 400 watts
- Impedance: 4 ohm
- Frequency: 50Hz~20KHz
- Sensitivity: 90dB



- Woofer: metal basket, PP cone with rubber edge
rubber magnet cover
- Tweeter: 1.2" dome tweeter
- Crossover: 2 way 12dB

MD510

- Max Power: 300 watts
- Impedance: 4 ohm
- Frequency: 60Hz~20KHz
- Sensitivity: 90dB

MD6510

- Max Power: 400 watts
- Impedance: 4 ohm
- Frequency: 50Hz~20KHz
- Sensitivity: 90dB



MF06
12dB crossover



MF07
6dB crossover



MF08
12dB crossover



MF09
12dB crossover



MF10
12dB crossover



MG11



MG12



MG13



MG14



MG15



MG16

REF.NO.	SENSITIVITY	INPEDANCE	FREQ.RESP.	MAX.POWER	
MG11	92dB	4 ohm	1.5KHz-20KHz	120W	1.5" swivel polyester dome tweeter 1" voice coil
MG12	92dB	4 ohm	1.5KHz-20KHz	120W	1.2" swivel silk dome tweeter 0.8" voice coil
MG13	92dB	4 ohm	1.5KHz-20KHz	120W	1.2" swivel silk dome tweeter 0.8" voice coil
MG14	92dB	4 ohm	1.5KHz-20KHz	120W	1.2" swivel silk dome tweeter 0.8" voice coil
MG15	92dB	4 ohm	1.5KHz-20KHz	120W	1.5" swivel silk dome tweeter 1" voice coil
MG16	92dB	4 ohm	1.5KHz-20KHz	120W	1.5" swivel silk dome tweeter 1" voice coil



MARINE & IN CEILING SPEAKER

MONSTERAUDIO

- 2 Way Coaxial Marine Speaker
White plastic basket, PP cone with rubber edge
1" Tweeter

MM5021

- 5" 2 way
- Voice Coil: 1"
- Magnet: 6oz
- Max Power: 180 watts
- Impedance: 4 ohm
- Frequency: 120Hz~20KHz
- Sensitivity: 90dB

MM6021

- 6" 2 way
- Voice Coil: 1"
- Magnet: 8oz
- Max Power: 240 watts
- Impedance: 4 ohm
- Frequency: 80Hz~20KHz
- Sensitivity: 90dB

- 2 Way Coaxial In Ceiling Speaker
White plastic shell, metal basket
PP cone with rubber edge, 1" swivel dome tweeter
12dB 2 Way Crossover

MI5021

- 5" 2 way
- Voice Coil: 1"
- Magnet: 8 oz
- Max Power: 100 watts
- Impedance: 8 ohm
- Frequency: 80Hz~20KHz
- Sensitivity: 90dB

MI6021

- 6.5" 2 way
- Voice Coil: 1"
- Magnet: 10 oz
- Max Power: 150 watts
- Impedance: 8 ohm
- Frequency: 65Hz~20KHz
- Sensitivity: 90dB

MI8021

- 8" 2 way
- Voice Coil: 1"
- Magnet: 20oz
- Max Power: 200 watts
- Impedance: 8ohm
- Frequency: 50Hz~20KHz
- Sensitivity: 90dB




- 2 Way Coaxial In Ceiling Speaker
White plastic basket, Paper cone with cloth edge
1" Tweeter
100V line transformer, spring loaded terminal
Spring loaded mounting clips

MI6022

- 6.5" 2 way
- Voice Coil: 0.75"
- Magnet: 6 oz
- Max Power: 50 watts
- Impedance: 100V
- Frequency: 80Hz~20KHz
- Sensitivity: 88dB

MI8022

- 8" 2 way
- Voice Coil: 1"
- Magnet: 8oz
- Max Power: 80 watts
- Impedance: 100V
- Frequency: 60Hz~20KHz
- Sensitivity: 90dB



MARINE & IN CEILING SPEAKER

MONSTERAUDIO



- 2 Way Coaxial In Ceiling Speaker
Square white plastic shell
metal basket, PP cone with rubber edge
1" tweeter

MI4023

- 4" 2 way
- Voice Coil: 0.75"
- Magnet: 6 oz
- Max Power: 50 watts
- Impedance: 8 ohm
- Frequency: 90Hz~20KHz
- Sensitivity: 90dB

MI5023

- 5" 2 way
- Voice Coil: 1"
- Magnet: 8oz
- Max Power: 80 watts
- Impedance: 8 ohm
- Frequency: 80Hz~20KHz
- Sensitivity: 90dB

MI6023

- 6.5" 2 way
- Voice Coil: 1"
- Magnet: 8oz
- Max Power: 100 watts
- Impedance: 8 ohm
- Frequency: 70Hz~20KHz
- Sensitivity: 90dB

MI8023

- 8" 2 way
- Voice Coil: 1"
- Magnet: 10oz
- Max Power: 120watts
- Impedance: 8 ohm
- Frequency: 60Hz~20KHz
- Sensitivity: 90dB

- 2 Way Component In Ceiling Speaker
Rectangular white plastic shell
metal basket, PP cone with rubber edge
1.5" tweeter, plastic port
12dB 2 way crossover



MI5024

- 5" 2 way
- Voice Coil: 1"
- Magnet: 8 oz
- Max Power: 100 watts
- Impedance: 8 ohm
- Frequency: 70Hz~20KHz
- Sensitivity: 92dB

MI6024

- 6.5" 2 way
- Voice Coil: 1"
- Magnet: 10oz
- Max Power: 150 watts
- Impedance: 8ohm
- Frequency: 60Hz~20KHz
- Sensitivity: 92dB

MI8024

- 8" 2 way
- Voice Coil: 1"
- Magnet: 20oz
- Max Power: 200 watts
- Impedance: 8 ohm
- Frequency: 45Hz~20KHz
- Sensitivity: 92dB



ENCLOSURE

MONSTERAUDIO



- Single Woofer Loaded Vented Bass Enclosure
Carpet covered, rectangular port, chromed metal grille
PP cone with foam edge, rubber gasket

MB1016

- Loaded 10" woofer
- Voice Coil: 2"
- Magnet: 40oz
- Max Power: 700 watts
- Impedance: 4 ohm
- Frequency: 35Hz~1.5KHz
- Sensitivity: 92dB

MB1216

- Loaded 12" woofer
- Voice Coil: 2"
- Magnet: 40oz
- Max Power: 900 watts
- Impedance: 4 ohm
- Frequency: 30Hz~1.5KHz
- Sensitivity: 92dB



- Single Woofer Loaded Vented Bass Enclosure
Vinyl covered, rectangular port
PP cone with foam edge, chromed metal grille

MB1017

- Loaded 10" woofer
- Voice Coil: 2"
- Magnet: 30oz
- Max Power: 500 watts
- Impedance: 4 ohm
- Frequency: 35Hz~1.5KHz
- Sensitivity: 92dB

MB1217

- Loaded 12" woofer
- Voice Coil: 2"
- Magnet: 30oz
- Max Power: 600 watts
- Impedance: 4 ohm
- Frequency: 30Hz~1.5KHz
- Sensitivity: 92dB

- Dual Woofers Loaded Bandpass Bass Enclosure
Carpet covered, dual rectangular ports
Paper cone with foam edge, rubber gasket

MB1018

- Loaded 10" woofers
- Voice Coil: 1.5"
- Magnet: 30oz
- Max Power: 800 watts
- Impedance: 4 ohm
- Frequency: 45Hz~1.5KHz
- Sensitivity: 90dB

MB1218

- Loaded 12" woofers
- Voice Coil: 1.5"
- Magnet: 30oz
- Max Power: 1000 watts
- Impedance: 4 ohm
- Frequency: 40Hz~1.5KHz
- Sensitivity: 90dB



ENCLOSURE

MONSTERAUDIO




- Dual Woofers Loaded Bandpass Bass Enclosure
Carpet covered, dual rectangular ports
Paper Cone with foam edge, rubber gasket

MB1019

- Loaded 10" woofers
- Voice Coil: 1.5"
- Magnet: 30oz
- Max Power: 800 watts
- Impedance: 4 ohm
- Frequency: 45Hz~1.5KHz
- Sensitivity: 90dB

MB1219

- Loaded 12" woofers
- Voice Coil: 1.5"
- Magnet: 30oz
- Max Power: 1000 watts
- Impedance: 4 ohm
- Frequency: 40Hz~1.5KHz
- Sensitivity: 90dB



- Dual Woofers Loaded Vented Bass Enclosure
Carpet covered, dual plastic ports
Paper cone with foam edge, rubber gasket

MB1020

- Loaded 10" woofers
- Voice Coil: 1.5"
- Magnet: 30oz
- Max Power: 800 watts
- Impedance: 4 ohm
- Frequency: 35Hz~1.5KHz
- Sensitivity: 92dB

MB1220

- Loaded 12" woofers
- Voice Coil: 1.5"
- Magnet: 30oz
- Max Power: 1000 watts
- Impedance: 4 ohm
- Frequency: 30Hz~1.5KHz
- Sensitivity: 92dB



- Single Woofer Loaded Vented Bass Enclosure
Carpet covered, slot port
PP cone with foam edge, chromed metal gasket

MB1021

- Loaded 10" woofer
- Voice Coil: 1.5"
- Magnet: 30oz
- Max Power: 500 watts
- Impedance: 4 ohm
- Frequency: 35Hz~1.5KHz
- Sensitivity: 92dB

MB1221

- Loaded 12" woofer
- Voice Coil: 1.5"
- Magnet: 30oz
- Max Power: 600 watts
- Impedance: 4 ohm
- Frequency: 30Hz~1.5KHz
- Sensitivity: 92dB



ENCLOSURE

MONSTERAUDIO



- Single Woofer Loaded Vented Bass Enclosure
Carpet covered, rectangular port
PP cone with foam edge, rubber gasket


MB1022

- Loaded 10" woofer
- Voice Coil: 2"
- Magnet: 40oz
- Max Power: 500 watts
- Impedance: 4 ohm
- Frequency: 35Hz~1.5KHz
- Sensitivity: 92dB

MB1222

- Loaded 12" woofer
- Voice Coil: 2"
- Magnet: 40oz
- Max Power: 600 watts
- Impedance: 4 ohm
- Frequency: 30Hz~1.5KHz
- Sensitivity: 92dB

- Dual Woofers Loaded Bandpass Bass Enclosure
Carpet covered, slot port
PP cone with rubber edge, rubber gasket



MB1023

- Loaded 10" woofer
- Voice Coil: 2"
- Magnet: 40oz
- Max Power: 800 watts
- Impedance: 4 ohm
- Frequency: 35Hz~1.5KHz
- Sensitivity: 92dB

MB1223

- Loaded 12" woofer
- Voice Coil: 2"
- Magnet: 40oz
- Max Power: 1000 watts
- Impedance: 4 ohm
- Frequency: 30Hz~1.5KHz
- Sensitivity: 92dB

- Dual Woofers Loaded Bandpass Bass Enclosure
Carpet covered, dual slot ports
PP cone with rubber edge, rubber gasket



MB1024

- Loaded 10" woofers
- Voice Coil: 2"
- Magnet: 40oz
- Max Power: 800 watts
- Impedance: 4 ohm
- Frequency: 35Hz~1.5KHz
- Sensitivity: 92dB

MB1224

- Loaded 12" woofers
- Voice Coil: 12"
- Magnet: 40oz
- Max Power: 1000 watts
- Impedance: 4 ohm
- Frequency: 30Hz~1.5KHz
- Sensitivity: 92dB

ENCLOSURE

MONSTERAUDIO



- Slim Single Woofer Loaded Sealed Bass Enclosure
Carpet & vinyl panel covered, chromed metal bar
Paper cone with foam edge, rubber gasket

MBS1001

- Loaded 10" slim woofer
- Voice Coil: 2"
- Magnet: 40oz
- Max Power: 500 watts
- Impedance: 4 ohm
- Frequency: 35Hz~1KHz
- Sensitivity: 92dB

MBS1201

- Loaded 12" slim woofer
- Voice Coil: 2"
- Magnet: 40oz
- Max Power: 600 watts
- Impedance: 4 ohm
- Frequency: 30Hz~1KHz
- Sensitivity: 92dB



- Slim Single Woofer Loaded Sealed Bass Enclosure
Vinyl covered, chromed metal grille
Paper cone with foam edge, rubber gasket

MBS1002

- Loaded 10" slim woofer
- Voice Coil: 2"
- Magnet: 50oz
- Max Power: 600 watts
- Impedance: 4 ohm
- Frequency: 35Hz~800Hz
- Sensitivity: 92dB

MBS1202

- Loaded 12" slim woofer
- Voice Coil: 2"
- Magnet: 50oz
- Max Power: 700 watts
- Impedance: 4 ohm
- Frequency: 30Hz~800Hz
- Sensitivity: 92dB



- Slim Single Woofer Loaded Sealed Bass Enclosure
Carpet covered, metal net grille
Paper Cone with foam edge, rubber gasket

MBS1003

- Loaded 10" slim woofer
- Voice Coil: 2"
- Magnet: 40oz
- Max Power: 400 watts
- Impedance: 4 ohm
- Frequency: 35Hz~1.5KHz
- Sensitivity: 92dB

MBS1203

- Loaded 12" slim woofer
- Voice Coil: 2"
- Magnet: 40oz
- Max Power: 500 watts
- Impedance: 4 ohm
- Frequency: 30Hz~1.5KHz
- Sensitivity: 92dB



- Single Woofer Loaded Sealed Bass Enclosure
Vinyl covered with carpet ends, chromed metal bar
PP cone with rubber edge, rubber gasket
MOSFET 2 Channel Power Amplifier (Max Power: 300W)

MBK1001

- Loaded 10" woofer
- Voice Coil: 1.5"
- Magnet: 30oz
- Impedance: 4 ohm
- Frequency: 35Hz~250Hz
- Sensitivity: 92dB

MBK1201

- Loaded 12" woofer
- Voice Coil: 1.5"
- Magnet: 30oz
- Impedance: 4 ohm
- Frequency: 30Hz~250Hz
- Sensitivity: 92dB





JIASHAN MONSTER AUDIO ELECTRONICS CO.,LTD.

ADD: HUICHENG ROAD, HUIMIN INDUSTRY ZONE

JIASHAN, ZHEJIANG, CHINA 314112

TEL: 86-573-84649808

FAX: 86-573-84649807

E-MAIL: MSD@VIP.163.COM

WWW.MONSTERAUDIO.CN