CAR AUDIO CATALOG

CAR AUDIO FOR FANATICS



MRG SERIES

Model MRG-S10 MRG-S12 Size 10" 12" RMS Power 200W 250W MAX Power 400W 500W Impedance 4 Ohm 4 Ohm SPL @ 1w/1m 90dB 90dB Frequency 35Hz ~ 1KHz 32Hz ~ 1KHz

Voice Coil

Magnet Weight

Voice Coll Magnet Weight 2"

50oz 50oz

2"





Model	MRG-W10	MRG-W12
Size	10"	12"
RMS Power	300W	350W
MAX Power	600W	700W
Impedance	4 0hm x 2	4 Ohm x 2
SPL @ 1w/1m	90dB	90dB
Frequency	32Hz ~ 1KHz	30Hz ~ 1KHz

2"

80oz 80oz

















Steel basket component speaker PP cone with rubber surround 1* Silk dome tweeter 12dB Crossover		
Model	MRG-D502	MRG-D652
Size	5.25"	6.5*
RMS Power	50W	60W
MAX Power	100W	120W
Impedance	4 Ohm	4 Ohm

MAX Power	100W	120W
Impedance	4 Ohm	4 Ohm
SPL @ 1w/1m	90dB	90dB
Frequency	70Hz ~ 20KHz	60Hz - 20KH
Voice Coil	1"	1"
Magnet Weight	10oz	10oz

MRG SERIES



MRG-C402



MRG-C502



MRG-C652



MRG-C693

Steel basket coaxis				
Model	MRG-C402	MRG-C502	MRG-C652	MRG-C693
Size	4" 2 Way	5.25* 2 Way	6.5" 2 Way	6x9* 3 Way
RMS Power	100W	120W	150W	200W
MAX Power	200W	250W	300W	400W
Impedance	4 Ohm	4 Ohm	4 Ohm	4 Ohm
SPL@1w/1m	88dB	88dB	90dB	90dB
Frequency Response	100Hz ~ 20KHz	80Hz ~ 20KHz	65Hz ~ 20KHz	50Hz ~ 20KHz
Voice Coil	1"	1"	1"	1"
Magnet Weight	6oz	6oz	10oz	20oz
Tweeter/Midrange	1" Mylar	1" Mylar	1" Mylar	2" Mylar Midrange + Piezo Tweete

MRG SERIES





П	Model	MRG-BP10	MRG-BP12
П	Size	10" Woofer	12" Woofer
П	RMS Power	100W	120W
٠	MAX Power	200W	250W
1	Frequency	30Hz - 250Hz	30Hz - 250Hz
н	S/N Ratio	95dB	95dB

Model	MRG-BS10	MRG-BS12
Size	10" Woofer	12" Woofer
RMS Power	200W	250W
MAX Power	400W	500W
Frequency	38Hz~1KHz	35Hz~1KHz
SPL@ 1w/1m	90dB	90dB
Impedance	4 Ohm	4 Ohm





90dB 90dB 4 Ohm 4 Ohm

SPL @ 1w/1m

Ported Acitve Tube MOSFET powered amplifier Steel basket, PP cone with foam surround 2" Voice coil, 40oz Magnet

Model	MRG-BT10	MRG-BT12
Size	10" Woofer	12" Woofer
RMS Power	80W	90W
MAX Power	150W	180W
Frequency Response	30Hz ~ 250Hz	28Hz ~ 250Hz
S/N Ratio	95dB	95dB







MRG-B10D	MRG-B12D	
10" Dual Woofers	12" Dual Woofers	
400W	500W	
800W	1000W	
38Hz~1KHz	35Hz~1KHz	
90dB	90dB	
4 Ohm	4 Ohm	
	10" Dual Woofers 400W 800W 38Hz~1KHz 90dB	10" Dual Woofers 12" Dual Woofers 400W 500W 800W 1000W 38Hz-1KHz 35Hz-1KHz 90dB 90dB

Stamped steel basket subwoofer

PP cone with toan	surround	
Model	MDC-W10D4	MDC-W1204
Size	10"	12"
RMS Power	200W	250W
MAX Power	400W	500W
Impedance	4 0hm x 2	4 0hm x 2
SPL @ 1w/1m	88dB	88dB
Frequency Response	35Hz ~ 1KHz	32Hz ~ 1KHz
Voice Coll	2"	2"
Magnet Weight	40oz	40oz















Steel basket compone PP cone with rubber si 1" Sitk dome tweeter 12dB Crossover		
Model	MDC-D502	MDC-
Size	5.25"	6.5
RMS Power	50W	60
MAX Power	100W	120
Annual desire	4.00	

RMS Power	50W	60W
MAX Power	100W	120W
Impedance	4 Ohm	4 Ohm
SPL@1w/1m	90dB	90d8
Frequency Response	70Hz ~ 20KHz	60Hz ~ 20KHz
Voice Coll	1"	1"
Magnet Weight	10oz	10oz

MDC SERIES









MDC-C693

Model	MDC-C402	MDC-C502	MDC-C652	MDC-C693
Size	4" 2 Way	5.25" 2 Way	6.5" 2 Way	6x9" 3 Way
RMS Power	100W	120W	150W	200W
MAX Power	200W	250W	300W	400W
Impedance	4 Ohm	4 Ohm	4 Ohm	4 Ohm
SPL@ 1w/1m	88dB	88dB	90dB	90dB
Frequency Response	100Hz ~ 20KHz	80Hz ~ 20KHz	65Hz ~ 20KHz	50Hz ~ 20KHz
Voice Coil	1"	1"	1"	1"
Magnet Weight	6oz	6oz	10oz	20oz
Tweeter/Midrange	1" Mylar	1" Mylar	1" Mylar	2" Mylar Midrange + Piezo Twee

SUBWOOFER



Model	MSW1001	MSW1201
Size	10"	12"
RMS Power	250W	300W
MAX Power	500W	600W
Impedance	4 0hm x 2	4 0hm x 2
SPL@1w/1m	90dB	90dB
Frequency	45Hz ~ 1KHz	40Hz - 1KHz
Voice Coll	2"	2"
Magnet Weight	65oz	65oz



Model	MSW1002	MSW1202
Size	10"	12"
RMS Power	250W	300W
MAX Power	500W	600W
Impedance	4 0hm x 2	4 Ohm x 2
SPL@1w/1m	9048	90dB
Frequency	35Hz - 1KHz	32Hz - 1KHz
Voice Coll	2*	2"
Magnet Weight	65oz	65oz



Model	MSW1003	MSW1203
Size	10*	12"
RMS Power	250W	300W
MAX Power	500W	600W
Impedance	4 0hm x 2	4 0hm x 2
SPL@ 1w/1m	9048	90dB
Frequency	35Hz - 1KHz	32Hz ~ 1KHz
Voice Coil	2"	2"
Magnet Weight	65oz	65oz



Model	MSW1004	MSW1204
Size	10"	12"
RMS Power	300W	350W
MAX Power	600W	700W
Impedance	4 0hm x 2	4 0hm x 2
SPL @ 1w/1m	90dB	90dB
Frequency	35Hz ~ 1KHz	32Hz ~ 1KHz
Voice Coil	2.5"	2.5"
Magnet Weight	100oz	100oz



Model	MSW1005	MSW1205
Size	10"	12"
RMS Power	350W	400W
MAX Power	700W	800W
Impedance	4 Ohm x 2	4 Ohm x 2
SPL @ 1w/1m	90dB	90dB
Frequency	30Hz ~ 1KHz	28Hz ~ 1KHz
Voice Coil	2"	2"



wodei	MIZMATOOR	M2M1500	
Size	10"	12"	
RMS Power	1000W	1500W	
MAX Power	2000W	3000W	
Impedance	2 0hm x 2	2 0hm x 2	
SPL @ 1w/1m	90dB	90dB	
Frequency	30Hz ~ 1KHz	28Hz ~ 1KHz	
Voice Coil	3"	3"	

SUBWOOFER





Model	MSW1007	MSW1207
Size	10"	12"
RMS Power	1500W	2000W
MAX Power	3000W	4000W
Impedance	20hm x 2	2 0hm x 2
SPL@1w/1m	92dB	92dB
Frequency	30Hz ~ 1KHz	28Hz ~ 1KHz
Voice Coil	3" flat wire	3" flat wire
Magnet Weight	25007	25007





Model	MSW1008	MSW1208
Size	10*	12"
RMS Power	2000W	2500W
MAX Power	4000W	5000W
Impedance	2 0hm x 2	2 0hm x 2
SPL @ 1w/1m	90dB	90dB
Frequency	30Hz - 1KHz	28Hz - 1KHz
Voice Coil	4" flat wire	4" flat wire





Model	MSW1009	MSW1209		
Size	10"	12"		
RMS Power	3000W	4000W		
MAX Power	6000W	8000W		
Impedance	10hm x 2	1 0hm x 2		
SPL@1w/1m	9dB	90dB		
Frequency	38Hz - 1KHz	35Hz - 1KHz		
Voice Coil	4" flat wire	4" flat wire		

COAXIAL SPEAKER



MSC4021



MSC5021



MSC6521



MSC6931

Model	MSC4021	MSC5021	MSC6521	MSC6931
Size	4" 2 Way	5.25" 2 Way	6.5" 2 Way	6x9" 3 Way
RMS Power	100W	120W	150W	200W
MAX Power	200W	250W	300W	400W
Impedance	4 Ohm	4 Ohm	4 Ohm	4 Ohm
SPL @ 1w/1m	88dB	88dB	90dB	90dB
Frequency Response	100Hz ~ 20KHz	80Hz ~ 20KHz	65Hz ~ 20KHz	50Hz ~ 20KHz
Voice Coil	1"	1"	1"	1"
Magnet Weight	6oz	6oz	10oz	20oz
Tweeter/Midrange	1" Mylar	1" Mylar	1" Mylar	2" Mylar Midrange + Piezo Tweete





MSC4032



MSC5032



MSC6532



MSC6942

Model	MSC4032	MSC5032	MSC6532	MSC6942
Size	4" 2 Way	5.25" 2 Way	6.5" 2 Way	6x9" 3 Way
RMS Power	100W	120W	150W	200W
MAX Power	200W	250W	300W	400W
Impedance	4 Ohm	4 Ohm	4 Ohm	4 Ohm
SPL @ 1w/1m	88dB	88dB	90dB	90 dB
Frequency Response	100Hz ~ 20KHz	80Hz ~ 20KHz	65Hz ~ 20KHz	50Hz ~ 20KHz
Voice Coil	1"	1"	1"	1"
Magnet Weight	6oz	6 oz	10oz	20oz
Tweeter/Midrange	1" Mylar + Piezo Tweeter	1" Mylar + Piezo Tweeter	1" Mylar + Piezo Tweeter	2" Mylar Midrange + Piezo Tweeters

WWW.MONSTERAUDIO.CN 12



HORN TWEETER

Die-casting aluminium basket Titanium diaphragm 1" Voice Coil, 5.4oz Magnet

MDH-01
120W
4/8 Ohm
98dB
2K~23KHz



Die-casting aluminium basket Titanium diaphragm 1" Voice Coil, 5.4oz Magnet

Model	MDH-02	
Max Power	120W	
Impedance	4/8 Ohm	
SPL@ 1w/1m	98dB	
Frequency Response	2K~23KHz	



Die-casting aluminium basket Titanium diaphragm 1" Voice Coil, 5.4oz Magnet

Model	MDH-03	
Max Power	120W	
Impedance	4/8 Ohm	
SPL @ 1w/1m	98dB	
Frequency Response	2K~23KHz	



Die-casting aluminium basket Titanium diaphragm

Model	MDH-04	
Max Power	120W	
Impedance	4/8 0hm	
SPL@ 1w/1m	98dB	
Frequency Response	2K~23KHz	



Die-casting aluminium basket Titanium diaphragm 1" Voice Coil, 5.4oz Magnet

Model	MDH-05
Max Power	120W
Impedance	4/8 Ohm
SPL @ 1w/1m	98dB
Frequency Response	2K~23KHz



Die-casting aluminium basket Titanium diaphragm 1" Voice Coil 5 4oz Magnet

Model	MDH-06	
Max Power	120W	
Impedance	4/8 0hm	
SPL@ 1w/1m	98dB	
Frequency Response	2K~23KHz	



Die-casting aluminium basket Titanium diaphragm 1" Voice Coil, 5.4oz Magnet

MDH-07
120W
4/8 Ohm
98dB
2K~23KHz



Die-casting aluminium basket Titanium diaphragm 1 75" Voice Coil 12 6oz Magnet

Model	MDH-08
Max Power	300W
Impedance	4/8 0hm
SPL@ 1w/1m	104dB
Frequency Response	2K~25KHz



Die-casting aluminium basket Titanium diaphragm 1" Voice Coil, 8oz Magnet

Model	MDH-09
Max Power	120W
Impedance	4/8 Ohm
SPL @ 1w/1m	98dB
Frequency Response	2K~23KHz



Die-casting aluminium basket Titanium diaphragm 1.75" Voice Coil, 21oz Magnet

Model	MDH-10
Max Power	120W
Impedance	4/8 Ohm
SPL@ 1w/1m	98dB
Frequency Response	2K~23KHz



Model	MMW6501
Size	6.5"
RMS Power	60W
MAX Power	120W
Impedance	4/8 Ohm
SPL @ 1w/1m	94dB
Frequency	1KHz ~ 10KHz
Voice Coil	1.5" TIL
Magnet Weight	20oz



Model	MMW6503	MMW8003
Size	6.5"	8"
RMS Power	100W	150W
MAX Power	200W	300W
Impedance	4 /8 Ohm	4/8 Ohm
SPL @ 1w/1m	95dB	96dB
Frequency	100Hz ~ 10KHz	90Hz ~ 8KHz
Voice Coil	1.5" TIL	1.5" TIL
Magnet Weight	20oz	30oz



Model	MMW6502	MMW8002
Size	6.5"	8"
RMS Power	100W	150W
MAX Power	200W	300W
Impedance	4/8 Ohm	4/8 Ohm
SPL@ 1w/1m	95dB	96dB
Frequency	100Hz ~ 10KHz	90Hz ~ 8KHz
Voice Coil	1.5° TIL	1.5" TIL
Magnet Weight	20oz	30oz



Model	MMW6504	MMW8004
Size	6.5*	8*
RMS Power	100W	150W
MAX Power	200W	300W
Impedance	4 /8 0hm	4/8 Ohm
SPL @ 1w/1m	95dB	96dB
Frequency	100Hz ~ 10KHz	90Hz ~ 8KHz
Voice Coil	1.5" TIL	1.5" TIL
Magnet Weight	20oz	30oz





Model	MMW6505	MMW800
Size	6.5*	8"
RMS Power	150W	200W
MAX Power	300W	400W
Impedance	4 /8 0hm	4/8 Ohm
SPL@ 1w/1m	96dB	96dB
Frequency	100Hz ~ 10KHz	90Hz ~ 8KHz
Voice Coil	2" TIL	2" TIL
Magnet Weight	30oz	40oz



Model	MMW6507	MMW8007
Size	6.5"	8*
RMS Power	100W	150W
MAX Power	200W	300W
Impedance	4/8 Ohm	4/8 0hm
SPL @ 1w/1m	95dB	95dB
Frequency	110Hz -10KHz	90Hz ~ 8KHz
Voice Coil	1.5" TIL	2" TIL
Magnet Weight	55oz (NdFeb)	10oz (NdFeb



Model	MMW6506	MMW8006
Size	6.5"	8"
RMS Power	150W	250W
MAX Power	300W	500W
Impedance	4 /8 Ohm	4/8 0hm
SPL @ 1w/1m	96dB	97dB
Frequency	100Hz ~ 10KHz	80Hz ~ 8KHz
Voice Coil	2" TIL	2.5" TIL
Magnet Weight	30oz	50oz



Model	MMW5708
Size	5" x 7"
RMS Power	60W
MAX Power	120W
Impedance	4/8 0hm
SPL @ 1w/1m	94dB
Frequency	120Hz - 10KHz
Voice Coil	1.5" TIL
Magnet	20oz

MID-WOOFER



Model	MMW6809
Size	6" x 9"
RMS Power	100W
MAX Power	200W
Impedance	4/8 Ohm
SPL @ 1w/1m	92dB
Frequency	100Hz ~ 10KHz
Voice Coil	1.5" TIL
Magnet Weight	30oz

Die-casting aluminium t Paper cone with cloth so	
Model	MMW6910
Size	6" x 9"
RMS Power	100W
MAX Power	200W
Impedance	4/8 0hm
SPL @ 1w/1m	92dB
Frequency	100Hz ~ 10KHz
Voice Coil	1.5" TIL
Magnet Weight	30oz





Model	MMW6511	MMW8011
Size	6.5"	8"
RMS Power	100W	150W
MAX Power	200W	300W
Impedance	4 /8 Ohm	4/8 Ohm
SPL@ 1w/1m	95dB	96dB
Frequency	110Hz ~ 10KHz	90Hz ~ 8KKHz
Voice Coil	1.5" TIL	2" TIL
	40 0145-11	4.0





Model	MMW6512	MMW8012
Size	6.5"	8"
RMS Power	100W	120W
MAX Power	200W	250W
Impedance	4/8 0hm	4 /8 Ohm
SPL @ 1w/1m	94dB	94dB
Frequency	110Hz ~ 10KHz	90Hz ~ 8KHz
Voice Coil	1.5" TIL	1.5° TIL
Magnet Weight	20oz	30oz



Model	MMW6514	MMW8014
Size	6.5"	8"
RMS Power	150W	200W
MAX Power	300W	400W
Impedance	4/8 Ohm	4/8 0hm
SPL @ 1w/1m	95dB	95dB
Frequency	100Hz ~ 10KHz	80Hz ~ 8KHz
Voice Coil	2" TIL	2" TIL
Magnet Weight	40oz	40oz



Model	MMW6513	MMW8013
Size	6.5*	8*
RMS Power	100W	120W
MAX Power	200W	250W
Impedance	4/8 0hm	4 /8 Ohm
SPL @ 1w/1m	95dB	95dB
Frequency	110Hz ~ 10KHz	90Hz - 8KHz
Voice Coil	1.5" TIL	1.5° TIL
Magnet Weight	30oz	30oz



Model	MMW6515
Size	6.5*
RMS Power	150W
MAX Power	300W
Impedance	4/8 0hm
SPL @ 1w/1m	95dB
Frequency	120Hz - 10KHz
Voice Coil	2*
Magnet Weight	30oz



Model	MMW6516
Size	6.5"
RMS Power	200W
MAX Power	400W
Impedance	4 /8 0hm
SPL @ 1w/1m	97dB
Frequency	120Hz ~ 8KHz
Voice Coil	2.5" TIL
Magnet Weight	40oz



Model	MMW8018
Size	8"
RMS Power	300W
MAX Power	600W
Impedance	4/8 Ohm
SPL @ 1w/1m	97dB
Frequency	100Hz ~8KHz
Voice Coil	3" TIL
Magnet Weight	60oz



Model	MMW8017
Size	8"
RMS Power	250W
MAX Power	500W
Impedance	4/8 Ohm
SPL @ 1w/1m	96dB
Frequency	100Hz ~ 8KHz
Voice Coil	2.5° TIL
Magnet Weight	50oz



Model	MMW1019	MMW1219
Size	10"	12"
RMS Power	300W	400W
MAX Power	600W	800W
Impedance	4/8 Ohm	4/8 0hm
SPL @ 1w/1m	96dB	96dB
Frequency	60Hz ~ 6KHz	50Hz ~ 8KHz
Voice Coil	2.5" TIL	2.5" TIL
Magnet	8.5oz (NdFeb)	8.5oz (NdFeb)







Model	MMW1020	MMW1220
Size	10"	12"
RMS Power	200W	250W
MAX Power	400W	500W
Impedance	4/8 Ohm	4/8 Ohm
SPL @ 1w/1m	96dB	96dB
Frequency	60Hz ~ 6KHz	50Hz ~ 8KH;
Voice Coil	2" TIL	2" TIL
Magnet	50oz	50oz

Model	MMW1021	MMW1221
Size	10"	12"
RMS Power	200W	250W
MAX Power	400W	500W
Impedance	4/8 0hm	4/8 0hm
SPL @ 1w/1m	96dB	96dB
Frequency	60Hz ~ 6KHz	50Hz ~ 8KH:
Voice Coil	2" TIL	2° TIL
Magnet	50oz	50oz





JIASHAN MONSTER AUDIO ELECTRONIC CO., LTD.

Huicheng Road, Huimin Industrial Zone, Jiashan, Zhejiang, China Tel: 86-573-84648808

Fax: 86-573-84648807

E-mail: msd@vip.163.com Skype: monsteraudio

Url: www.monsteraudio.cn