

CAR SUBWOOFER

CAR SUBWOOFER



Model	SUW-MC1205	SUW-MC1505
Size	12"	15"
RMS Power	1000W	1200W
Xmax	29.5mm	29.5mm
Frequency Response	35~500Hz	30~500Hz
Sensitivity 1W/1M	90dB	90dB
Impedance	2Ω x 2	2Ω x 2
Voice Coil	3" CCAW	4" CCAW
Magnet	190oz	190oz

Stamped Steel Basket
Non-Pressed Paper Cone With Foam Edge



Stamped Steel Basket
Paper Cone With Foam Edge

Model	SUW-MC1207	SUW-MC1507
Size	12"	15"
RMS Power	700W	900W
Xmax	26mm	26mm
Frequency Response	32~500Hz	28~500Hz
Sensitivity 1W/1M	88dB	88dB
Impedance	4Ω x 2	4Ω x 2
Voice Coil	3" BASV	3" BASV
Magnet	131.6oz	131.6oz

Stamped Steel Basket
Non-Pressed Paper Cone With Foam Edge



Stamped Steel Basket
Non-Pressed Paper Cone
With Foam Edge

Model	SUW-MC1206	SUW-MC1506
Size	12"	15"
RMS Power	800W	1000W
Xmax	29.5mm	29.5mm
Frequency Response	32~500Hz	28~500Hz
Sensitivity 1W/1M	90dB	90dB
Impedance	4Ω x 2	4Ω x 2
Voice Coil	3" BASV	3" BASV
Magnet	164.6oz	164.6oz



Model	SUW-MC1208	SUW-MC1508
Size	12"	15"
RMS Power	600W	800W
Xmax	26mm	26mm
Frequency Response	35~500Hz	30~500Hz
Sensitivity 1W/1M	90dB	90dB
Impedance	4Ω x 2	4Ω x 2
Voice Coil	2.5" BASV	2.5" BASV
Magnet	157.6oz	157.6oz



CAR SUBWOOFER

Stamped Steel Basket
Non-Pressed Paper Cone
With Foam Edge



Model	SUW-MC1209	SUW-MC1509
Size	12"	15"
RMS Power	600W	800W
Xmax	26mm	26mm
Frequency Response	38~500Hz	33~500Hz
Sensitivity 1W/1M	90dB	90dB
Impedance	4Ω x 2	4Ω x 2
Voice Coil	2.5" BASV	2.5" BASV
Magnet	140.8oz	140.8oz

Stamped Steel Basket
Paper Cone With Rubber Edge



Model	SUW-MC1210	SUW-MC1510
Size	12"	15"
RMS Power	500W	600W
Xmax	22.5mm	22.5mm
Frequency Response	35~500Hz	30~500Hz
Sensitivity 1W/1M	90dB	90dB
Impedance	4Ω x 2	4Ω x 2
Voice Coil	2.5" BASV	2.5" BASV
Magnet	101.4oz	101.4oz

CAR SUBWOOFER

Stamped Steel Basket
Bowl Shape PP Coated Paper Cone
With Rubber Edge



Model	SUW-MC1011	SUW-MC1211
Size	10"	12"
RMS Power	350W	400W
Xmax	21mm	21mm
Frequency Response	40~1KHz	38~1KHz
Sensitivity 1W/1M	90dB	90dB
Impedance	4Ω x 2	4Ω x 2
Voice Coil	2" BASV	2" BASV
Ferrite Magnet Weight	94.4oz	94.4oz

Stamped Steel Basket
PP Cone With Rubber Edge



Model	SUW-MC1012	SUW-MC1212
Size	10"	12"
RMS Power	300W	350W
Xmax	17.5mm	17.5mm
Frequency Response	40~1KHz	38~1KHz
Sensitivity 1W/1M	90dB	90dB
Impedance	4Ω x 2	4Ω x 2
Voice Coil	2" BASV	2" BASV
Magnet	94.4oz	94.4oz



Stamped Steel Basket
Bowl Shape PP Coated Paper Cone
With Rubber Edge

Model	SUW-MC1013	SUW-MC1213
Size	10"	12"
RMS Power	200W	250W
Xmax	15mm	15mm
Frequency Response	35~1KHz	32~1KHz
Sensitivity 1W/1M	88dB	88dB
Impedance	4Ω x 2	4Ω x 2
Voice Coil	2" BASV	2" BASV
Magnet	47.2oz	47.2oz

Die-Casting Aluminium Basket
Non-Pressed Paper Cone
With Foam Edge

SHALLOW
MOUNTED

Model	SUW-MC1014	SUW-MC1214
Size	10"	12"
RMS Power	400W	500W
Xmax	21mm	21mm
Frequency Response	45~500Hz	45~500Hz
Sensitivity 1W/1M	90dB	90dB
Impedance	4Ω x 2	4Ω x 2
Voice Coil	2.5" BASV	2.5" BASV
Magnet	76.3oz	76.3oz



Stamped Steel Basket
Glassfibre Cone With Rubber Edge

SHALLOW
MOUNTED

Model	SUW-MC1015	SUW-MC1215
Size	10"	12"
RMS Power	200W	250W
Xmax	15mm	15mm
Frequency Response	45~500Hz	42~500Hz
Sensitivity 1W/1M	90dB	90dB
Impedance	4Ω x 2	4Ω x 2
Voice Coil	2" BASV	2" BASV
Magnet	47.2oz	47.2oz

Stamped Steel Basket
Paper Cone With Foam Edge

SHALLOW
MOUNTED

Model	SUW-MC1016	SUW-MC1216
Size	10"	12"
RMS Power	200W	250W
Xmax	15mm	15mm
Frequency Response	45~500Hz	42~500Hz
Sensitivity 1W/1M	90dB	90dB
Impedance	4Ω x 2	4Ω x 2
Voice Coil	2" BASV	2" BASV
Magnet	47.2oz	47.2oz

MSD

ACTIVE CAR SUBWOOFER ENCLOSURE



Model: SUB-BSC065
6.5" Woofer Loaded
Activated Subwoofer Vented MDF Enclosure
RMS Power: 160W
Frequency Response: 30Hz-200Hz
Size: 415x230x260 mm
Wired Remote Bass Level Control Included

6.5" Woofer
Non-Pressed Paper Cone With Foam Edge
2" Voice Coil
40oz Ferrite Magnet

High Efficiency Digital Amplifier
LED Power (green) and Protected (Red) Indicators
High And Lower Level Input Options
Low Pass Filter

Model: SUB-BSE012
12" Woofer Loaded
Activated Subwoofer Vented MDF Enclosure
RMS Power: 180W
Frequency Response: 25Hz-250Hz
Size: 520x359x380 mm
Wired Remote Bass Level Control Included

12" Woofer
Plated PP Cone With Rubber Edge
2" Voice Coil
40oz Ferrite Magnet

High Efficiency Mosfet Amplifier
LED Power (green) and Protected (Red) Indicators
High And Lower Level Input Options
Low Pass Filter



ACTIVE CAR SUBWOOFER ENCLOSURE

MSD



Model: SUB-BSD012
12" Woofer Loaded
Activated Subwoofer Sealed MDF Enclosure
RMS Power: 180W
Frequency Response: 25Hz-250Hz
Size: 500x320x360 mm
Wired Remote Bass Level Control Included

12" Woofer
Plated PP Cone With Rubber Edge
2" Voice Coil
40oz Ferrite Magnet

High Efficiency Digital Amplifier
LED Power (green) and Protected (Red) Indicators
High And Lower Level Input Options
Low Pass Filter

Activated Vented Tube
Wired Remote Bass Level Control Included

Woofer
Plated PP Cone With Rubber Edge

High Efficiency Mosfet Amplifier
LED Power (green) and Protected (Red) Indicators
High And Lower Level Input Options
Low Pass Filter



Model	SUB-BTB008	SUB-BTB010	SUB-BTB012
Size	8"	10"	12"
Voice Coil	1.5"	2"	2"
Magnet	30oz	40oz	40oz
RMS Power	150W	160W	180W
Frequency Response	35Hz-250Hz	28Hz-250Hz	25Hz-250Hz

ACTIVE CAR SUBWOOFER ENCLOSURE



Model: SUB-BSB102
10" Shallow Woofer Loaded
Active Subwoofer Sealed MDF Enclosure
RMS Power: 160W
Frequency Response: 40Hz-200Hz
Size: 455x302x145 mm
Wired Remote Bass Level Control Included

10" Woofer
Paper Cone With Rubber Edge
2" Voice Coil
40oz Ferrite Magnet

High Efficiency Digital Amplifier
LED Power (Green) and Protected (Red) Indicators
High And Lower Level Input Options
Low Pass Filter



Model: SUB-BSA10
10" Shallow Woofer Loaded
Active Subwoofer Sealed MDF Enclosure
RMS Power: 160W
Frequency Response: 40Hz-200Hz
Size: 532x295x162 mm
Wired Remote Bass Level Control Included



10" Woofer
Paper Cone With Rubber Edge
2" Voice Coil
40oz Ferrite Magnet

High Efficiency Mosfet Amplifier
LED Power (Green) and Protected (Red) Indicators
High And Lower Level Input Options
Low Pass Filter



Multiple Position Options
Forward, Rear, or Down-Firing
Installation Available

COAXIAL SPEAKER



COA-MC421



COA-MC6521



Steel Basket
PP Cone With Rubber Edge
Mylar Tweeter

Model	COA-MC421
Size	4" 2 Way
Magnet	6oz
Voice Coil	1" ASV
Power (RMS)	60W
Power (MAX)	120W
Frequency Response	110Hz - 20KHz
Sensitivity 1W/1M	90dB
Impedance	4 Ohm



COA-MC521



COA-MC6941



Model	COA-MC521	COA-MC6521	COA-MC6941
Size	5" 2 Way	6.5" 2 Way	6x9" 4 Way
Magnet	6oz	10oz	20oz
Voice Coil	1" ASV	1" ASV	1" ASV
Power (RMS)	80W	100W	150W
Power (MAX)	160W	200W	300W
Frequency Response	90Hz - 20KHz	80Hz - 20KHz	50Hz - 20KHz
Sensitivity 1W/1M	90dB	90dB	90dB
Impedance	4 Ohm	4 Ohm	4 Ohm

COAXIAL SPEAKER



COA-MC432



COA-MC532



COA-MC6532



COA-MC6932

Steel Basket
Paper Cone With Foam Edge
Mylar Tweeter

Model	COA-MC432	COA-MC532	COA-MC6532	COA-MC6932
Size	4" 3 Way	5" 3 Way	6.5" 3Way	6x9" 3 Way
Magnet	6oz	6oz	8oz	20oz
Voice Coil	1" ASV	1" ASV	1" ASV	1" ASV
Power (RMS)	60W	80W	100W	150W
Power (MAX)	120W	160W	200W	300W
Frequency Response	110Hz - 20KHz	90Hz - 20KHz	80Hz - 20KHz	50Hz - 20KHz
Sensitivity 1W/1M	90dB	90dB	90dB	90dB
Impedance	4 Ohm	4 Ohm	4 Ohm	4 Ohm

COAXIAL SPEAKER



COA-MC423



COA-MC6523



COA-MC523



COA-MC6933

Steel Basket
IMPP Cone With Rubber Edge
Mylar Tweeter

Model	COA-MC423	COA-MC523	COA-MC6523	COA-MC6933
Size	4" 2 Way	5" 2 Way	6.5" 2 Way	6x9" 3 Way
Magnet	8oz	8oz	10oz	25oz
Voice Coil	1" ASV	1" ASV	1" ASV	1.2" ASV
Power (RMS)	80W	100W	120W	200W
Power (MAX)	160W	200W	240W	400W
Frequency Response	110Hz - 20KHz	90Hz - 20KHz	80Hz - 20KHz	50Hz - 20KHz
Sensitivity 1W/1M	90dB	90dB	90dB	90dB
Impedance	4 Ohm	4 Ohm	4 Ohm	4 Ohm

COAXIAL SPEAKER



COA-MC424



COA-MC524



COA-MC6524



COA-MC6924



Steel Basket
Glassfibre Cone With Rubber Edge
Titanium Dome Tweeter

Model	COA-MC424	COA-MC524	COA-MC6524	COA-MC6924
Size	4" 2 Way	5" 2 Way	6.5" 2 Way	6x9" 2 Way
Magnet	8oz	8oz	10oz	25oz
Voice Coil	1" ASV	1" ASV	1" ASV	1.2" ASV
Power (RMS)	80W	100W	120W	200W
Power (MAX)	160W	200W	240W	400W
Frequency Response	110Hz - 20KHz	90Hz - 20KHz	80Hz - 20KHz	50Hz - 20KHz
Sensitivity 1W/1M	90dB	90dB	90dB	90dB
Impedance	4 Ohm	4 Ohm	4 Ohm	4 Ohm

MIDRANGE LOUDSPEAKER



Midrange Loudspeaker
Steel Basket
Paper Cone With Cloth Edge

Model	PRO-MC6501	PRO-MC8001
Size	6.5"	8"
Power(RMS)	150W	200W
Power(MAX)	300W	400W
Frequency Response	130Hz - 10KHz	100Hz - 10KHz
Sensitivity 1W/1M	92dB	93dB
Impedance	4 / 8 Ohm	4 / 8 Ohm
Voice Coil	1"	1.5"
Ferrite Magnet	18.2oz	24.6oz

Midrange Loudspeaker
Steel Basket
Paper Cone With Cloth Edge

Model	PRO-MC6502	PRO-MC8002
Size	6.5"	8"
Power(RMS)	200W	250W
Power(MAX)	400W	500W
Frequency Response	120Hz - 10KHz	90Hz - 10KHz
Sensitivity 1W/1M	93dB	94dB
Impedance	4 / 8 Ohm	4 / 8 Ohm
Voice Coil	1.5"	1.5"
Ferrite Magnet	24.6oz	34.2oz



Midrange Loudspeaker
Steel Basket
Paper Cone With Cloth Edge

Model	PRO-MC6503	PRO-MC8003
Size	6.5"	8"
Power(RMS)	250W	300W
Power(MAX)	500W	600W
Frequency Response	130Hz - 10KHz	100Hz - 10KHz
Sensitivity 1W/1M	95dB	96dB
Impedance	4 / 8 Ohm	4 / 8 Ohm
Voice Coil	1.5"	1.75"
Ferrite Magnet	34.2oz	41.7oz



MIDRANGE LOUDSPEAKER



Midrange Loudspeaker
Steel Basket
Paper Cone With Cloth Edge

Model	PRO-MC6504	PRO-MC8004
Size	6.5"	8"
Power(RMS)	200W	250W
Power(MAX)	400W	500W
Frequency Response	120Hz - 10KHz	90Hz - 10KHz
Sensitivity 1W/1M	93dB	94dB
Impedance	4 / 8 Ohm	4 / 8 Ohm
Voice Coil	1.5"	1.5"
Ferrite Magnet	24.6oz	34.2oz

Midrange Loudspeaker
Steel Basket
Paper Cone With Cloth Edge

Model	PRO-MC6505	PRO-MC8005
Size	6.5"	8"
Power(RMS)	250W	300W
Power(MAX)	500W	600W
Frequency Response	130Hz - 10KHz	100Hz - 10KHz
Sensitivity 1W/1M	95dB	96dB
Impedance	4 / 8 Ohm	4 / 8 Ohm
Voice Coil	1.75"	1.75"
Ferrite Magnet	41.7oz	50.2oz



Midrange Loudspeaker
Aluminium Basket
Paper Cone With Cloth Edge

Model	PRO-MC8006
Size	8"
Power(RMS)	400W
Power(MAX)	800W
Frequency Response	90Hz-15KHz
Sensitivity 1W/1M	96dB
Impedance	4 / 8 Ohm
Voice Coil	2"
Ferrite Magnet	56.2oz



FULL RANGE LOUDSPEAKER



Full Range Loudspeaker With Horn Tweeter
Woofer:
Steel Basket
Paper Cone With Cloth Edge
1.5" Voice Coil
NdFeb Magnet
Horn Tweeter:
Aluminium Diaphragm
1" Voice Coil
NdFeb Magnet

Model	PRO-MC6507	PRO-MC8007
Size	6.5"	8"
Power(RMS)	200W	250W
Power(MAX)	400W	500W
Frequency Response	80Hz - 10KHz	70Hz - 10KHz
Sensitivity 1W/1M	93dB	94dB
Impedance	4 / 8 Ohm	4 / 8 Ohm

Full Range Loudspeaker With Horn Tweeter
Woofer:
Steel Basket
Paper Cone With Cloth Edge
1.5" Voice Coil
30oz Ferrite Magnet
Horn Tweeter:
Aluminium Diaphragm
1" Voice Coil
NdFeb Magnet

Model	PRO-MC6908
Size	6x9"
Power(RMS)	250W
Power(MAX)	500W
Frequency Response	70Hz - 10KHz
Sensitivity 1W/1M	94dB
Impedance	4 / 8 Ohm



Coaxial Full Range Loudspeaker With Super Bullet Tweeter
Woofer:
Steel Basket
Paper Cone With Cloth Edge
1.5" Voice Coil
Tweeter:
Aluminium Diaphragm
1" Voice Coil
NdFeb Magnet

Model	PRO-MC6509	PRO-MC8009
Size	6.5"	8"
Power(RMS)	120W	150W
Power(MAX)	250W	300W
Frequency Response	80Hz - 22KHz	70Hz - 22KHz
Sensitivity 1W/1M	96dB	96dB
Impedance	4 / 8 Ohm	4 / 8 Ohm
Magnet	33.5oz	37oz



MSD

SUPER BULLET TWEETER



PRO-T101

Super Bullet Tweeter
Aluminium Diaphragm
1.5" Voice Coil
14oz Ferrite Magnet
Impedance: 4 Ohm / 8 Ohm
RMS Power: 50W
Max Power: 100W
Frequency Response: 2KHz ~ 20KHz
Sensitivity 1W/1M: 112dB



PRO-T103

Super Bullet Tweeter
Titanium Diaphragm
1" Voice Coil
8oz Ferrite Magnet
Impedance: 4 Ohm / 8 Ohm
RMS Power: 25W
Max Power: 50W
Frequency Response: 2.5KHz ~ 19KHz
Sensitivity 1W/1M: 106dB



PRO-T102

Super Bullet Tweeter
Titanium Diaphragm
1" Voice Coil
8oz Ferrite Magnet
Impedance: 4 Ohm / 8 Ohm
RMS Power: 25W
Max Power: 50W
Frequency Response: 2.5KHz ~ 19KHz
Sensitivity 1W/1M: 106dB



PRO-T104

Super Bullet Tweeter
Titanium Diaphragm
1" Voice Coil
8oz Ferrite Magnet
Impedance: 4 Ohm / 8 Ohm
RMS Power: 25W
Max Power: 50W
Frequency Response: 2.5KHz ~ 19KHz
Sensitivity 1W/1M: 106dB

SUPER BULLET TWEETER & COMPRESSION DRIVER

MSD



PRO-T105

Super Bullet Tweeter
Titanium Diaphragm
1" Voice Coil
8oz Ferrite Magnet

Impedance: 4 Ohm / 8 Ohm
RMS Power: 25W
Max Power: 50W
Frequency Response: 2.5KHz ~ 19KHz
Sensitivity 1W/1M: 106dB



PRO-CD101

Throat Bolt-On Compression Driver
Polyester Diaphragm
Dual 3.5" Voice Coil
Neodymium Magnet
Impedance: 2 x 16 Ohm
RMS Power: 200W
Max Power: 400W
Frequency Response: 300Hz ~ 8KHz
Sensitivity 1W/1M: 120dB



PRO-CD102

Throat Bolt-On Compression Driver
Titanium Diaphragm Super Driver
3" Voice Coil
Neodymium Magnet
Impedance: 8 Ohm
RMS Power: 110W
Max Power: 400W
Frequency Response: 1KHz ~ 18KHz
Sensitivity 1W/1M: 109dB

MSD

COMPRESSION DRIVER



PRO-CD103

Throat Bolt-On Compression Driver
With Titanium Diaphragm
3" Voice Coil
Neodymium Magnet
Impedance: 8 Ohm
RMS Power: 110W
Max Power: 400W
Frequency Response: 1KHz ~ 18KHz
Sensitivity 1W/1M: 109dB



PRO-CD104

Throat Bolt-On Compression Driver
With Polyester Diaphragm
2.5" Voice Coil
41.7oz Ferrite Magnet
Impedance: 8 Ohm
RMS Power: 80W
Max Power: 160W
Frequency Response: 1KHz ~ 18KHz
Sensitivity 1W/1M: 108dB

PRO-CD105

Throat Bolt-On Compression Driver
With Polyester Diaphragm
1.75" Voice Coil
Neodymium Magnet
Impedance: 8 Ohm
RMS Power: 50W
Max Power: 100W
Frequency Response: 1.2KHz ~ 18KHz
Sensitivity 1W/1M: 109dB

COMPRESSION DRIVER

MSD



PRO-CD106

Throat Bolt-On Compression Driver
With Titanium Diaphragm
3" Voice Coil
60.9oz Ferrite Magnet
Impedance: 8 Ohm
RMS Power: 110W
Max Power: 220W
Frequency Response: 1KHz ~ 18KHz
Sensitivity 1W/1M: 109dB



PRO-CD107

Throat Twist on Compression Driver
With Phenolic Diaphragm
2" Voice Coil
11.6oz Ferrite Magnet
Impedance: 8 Ohm
RMS Power: 60W
Max Power: 120W
Frequency Response: 1KHz ~ 18KHz
Sensitivity 1W/1M: 106dB

PRO-CD108

Throat Bolt-On Compression Driver And Horn Kit
With Phenolic Diaphragm
1" Voice Coil
10.9oz Ferrite Magnet
Impedance: 8 Ohm
RMS Power: 25W
Max Power: 50W
Frequency Response: 1.5KHz ~ 18KHz
Sensitivity 1W/1M: 106dB



PRO-CD109

Throat Twist on Compression Driver
With Titanium Diaphragm
1" Voice Coil
NdFeb Magnet
Impedance: 8 Ohm
RMS Power: 25W
Max Power: 50W
Frequency Response: 1.5KHz ~ 18KHz
Sensitivity 1W/1M: 106dB



MSD

NEODYMIUM MID-BASS LOUDSPEAKER

PRO-MPA1201

12" Mid-Bass Loudspeaker
Aluminium Basket
Paper Cone With Cloth Edge
3" Voice Coil
16.9oz Neodymium Magnet

Power(RMS): 600W
Power(MAX): 1200W
Frequency Response: 50Hz~3.5KHz
Sensitivity@1W/1M: 99dB
Impedance: 4/8 Ohm



PRO-MPA0802

8" Mid-Bass Loudspeaker
Aluminium Basket
Paper Cone With Cloth Edge
2.5" Voice Coil, Glassfibre Former,
Inside/Outside Wound Wire
7.9oz Neodymium Magnet

Power(RMS): 400W
Power(MAX): 800W
Frequency Response: 60Hz~5KHz
Sensitivity@1W/1M: 95dB
Impedance: 4/8 Ohm



MID-BASS LOUDSPEAKER

MSD



Mid-Bass Loudspeaker
Aluminium Basket
Paper Cone With Cloth Edge
3.5" Voice Coil
109.2oz Ferrite Magnet

PRO-MPA1003

Size: 10"
Power(RMS): 600W
Power(MAX): 1200W
Frequency Response: 60Hz~6KHz
Sensitivity@1W/1M: 97dB
Impedance: 4/8 Ohm

PRO-MPA1203

Size: 12"
Power(RMS): 800W
Power(MAX): 1600W
Frequency Response: 55Hz~5KHz
Sensitivity@1W/1M: 98dB
Impedance: 4/8 Ohm



Mid-Bass Loudspeaker
Aluminium Basket
Paper Cone With Cloth Edge

PRO-MPA0804

Size: 8"
Power(RMS): 300W
Power(MAX): 600W
Frequency Response: 80Hz~5KHz
Sensitivity@1W/1M: 95dB
Impedance: 4/8 Ohm
2" Voice Coil
56.2oz Ferrite Magnet

PRO-MPA1004

Size: 10"
Power(RMS): 500W
Power(MAX): 1000W
Frequency Response: 60Hz~4.5KHz
Sensitivity@1W/1M: 98dB
Impedance: 4/8 Ohm
3" Voice Coil
88.8oz Ferrite Magnet

PRO-MPA1204

Size: 12"
Power(RMS): 600W
Power(MAX): 1200W
Frequency Response: 55Hz~5KHz
Sensitivity@1W/1M: 100dB
Impedance: 4/8 Ohm
3" Voice Coil
109.2oz Ferrite Magnet